

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://girbau.nt-rt.ru/> || gua@nt-rt.ru

RMS

RMS610 | RMS613 | RMS617 | RMS623 | RMS628

RMS610



ОСОБЕННОСТИ

- Объем 10kg (1/10)
- Система управления: Logi pro control, Logi control
- Системы нагрева: электронагревание, пар и без нагрева (подача горячей воды)
- Объем барабана 99 л
- Скорость вращения 108G

ОПИСАНИЕ

- **ХАРАКТЕРИСТИКИ**
 - Фактор 200G на средних/высоких оборотах
 - Панели со специальным покрытием
 - Барабан выполнен из высококачественной нержавеющей стали и имеет озоностойкое уплотнение из витона (Viton)
 - Большая загрузочная дверь с углом открытия 200°
 - Легко очищаемый отсек для моющих средств, разбитый на 4 отсека
 - Отдельные сигналы подключения внешних дозирующих систем
 - Эргономичный дизайн для упрощения управления
 - Простой доступ ко всем компонентам для упрощения обслуживания
 - Сливная система большого диаметра для предотвращения засорения механическими частицами

ДОПОЛНИТЕЛЬНОЕ ОБОРУДОВАНИЕ

- Крышки из нержавеющей стали
- Плата связи Girbau

RMS613



ОСОБЕННОСТИ

- Объём 13kg (1/10)
- Система управления Logi pro
- Системы нагрева: электронагревание, пар и без нагрева (подача горячей воды)
- Объём барабана 126 л
- Скорость отжима 125G

ОПИСАНИЕ

FEATURES

- Medium spin speed: from 108 to 154G factor depending on the model.
- Precoated panels
- High-quality stainless steel drum with ozone-resistant Viton gasket seal
- Large-diameter loading door and 200° opening angle
- Easy to clean 4-compartment dispenser box
- Separate signals for connection to external dispenser systems
- Ergonomic design to make the operator's work easier
- Easy access to all components to speed up maintenance tasks
- Large-diameter drain to avoid obstruction by solid particles

OPTIONS

- Stainless steel covers
- Girbau communications board

Control LOGI CONTROL:

- 8 configurable programs.
- Up to 9 phases per program.
- 4 water levels that can be selected.
- Connection to an external dosing system.
- Failure check and alarm messages.
- Test program.
- Rinse Hold crease-guard mode stop (in the final phase only).
- Starting-up at the desired time.
- Gradual cool-down (in the wash phase only).

RMS617



ОСОБЕННОСТИ

- Объём 17kg (1/10)
- Система управления: LOGI control
- Системы нагрева: электрическая, пар и без нагрева (подача горячей воды)
- Объём барабана 125 л
- Скорость отжима 166G

ОПИСАНИЕ

FEATURES

- Medium spin speed: from 108 to 154G factor depending on the model.
- Precoated panels
- High-quality stainless steel drum with ozone-resistant Viton gasket seal
- Large-diameter loading door and 200° opening angle
- Easy to clean 4-compartment dispenser box
- Separate signals for connection to external dispenser systems
- Ergonomic design to make the operator's work easier
- Easy access to all components to speed up maintenance tasks
- Large-diameter drain to avoid obstruction by solid particles

OPTIONS

- Stainless steel covers
- Girbau communications board

Control LOGI CONTROL:

- 8 configurable programs.
- Up to 9 phases per program.
- 4 water levels that can be selected.
- Connection to an external dosing system.
- Failure check and alarm messages.
- Test program.
- Rinse Hold crease-guard mode stop (in the final phase only).
- Starting-up at the desired time.
- Gradual cool-down (in the wash phase only).

RMS623



ОСОБЕННОСТИ

- Объем 23kg (1/10)
- Система управления: LOGI control
- Системы нагрева: электрическая, пар и без нагрева (подача горячей воды)
- Объем барабана 226 л
- Скорость отжима 141G

ОПИСАНИЕ

FEATURES

- Medium spin speed: from 108 to 154G factor depending on the model.
- Precoated panels
- High-quality stainless steel drum with ozone-resistant Viton gasket seal
- Large-diameter loading door and 200° opening angle
- Easy to clean 4-compartment dispenser box
- Separate signals for connection to external dispenser systems
- Ergonomic design to make the operator's work easier
- Easy access to all components to speed up maintenance tasks
- Large-diameter drain to avoid obstruction by solid particles

OPTIONS

- Stainless steel covers
- Girbau communications board

Control **LOGI CONTROL:**

- 8 configurable programs.
- Up to 9 phases per program.
- 4 water levels that can be selected.
- Connection to an external dosing system.
- Failure check and alarm messages.
- Test program.
- Rinse Hold crease-guard mode stop (in the final phase only).
- Starting-up at the desired time.
- Gradual cool-down (in the wash phase only).

RMS628



ОСОБЕННОСТИ

- Объем 28kg (1/10)
- Система управления: LOGI control
- Системы нагревания: электрическая, пар и без нагрева (подача горячей воды)
- Объем барабана 274 л
- Скорость отжима 141G

ОПИСАНИЕ

- **FEATURES**
 - Medium spin speed: from 108 to 154G factor depending on the model.
 - Precoated panels
 - High-quality stainless steel drum with ozone-resistant Viton gasket seal
 - Large-diameter loading door and 200° opening angle
 - Easy to clean 4-compartment dispenser box
 - Separate signals for connection to external dispenser systems
 - Ergonomic design to make the operator's work easier
 - Easy access to all components to speed up maintenance tasks
 - Large-diameter drain to avoid obstruction by solid particles

OPTIONS

- Stainless steel covers
- Girbau communications board

Control LOGI CONTROL:

- 8 configurable programs.
- Up to 9 phases per program.
- 4 water levels that can be selected.
- Connection to an external dosing system.
- Failure check and alarm messages.
- Test program.
- Rinse Hold crease-guard mode stop (in the final phase only).
- Starting-up at the desired time.
- Gradual cool-down (in the wash phase only).

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://girbau.nt-rt.ru/> || gua@nt-rt.ru